

浙江合和机电有限公司

地址: 浙江省诸暨市枫桥镇新泽湖泽树下1150号

电话: 0575-87181065

传真: 0575-87181066

邮箱: fortever@fortever.com.cn

www.fortever.com

www.fortever.com.cn

ZHEJIANG HEHE ELECTRIC MACHINERY CO.,LTD.

Add: No.1150,zeshuxia,xinzehu,fengqlao,zhuji city,zhejiang,china

Tel: 0086-575-87181065

Fax: 0086-575-87181066

E-mail:forteever@fortever.com.cn

www.fortever.com

www.fortever.com.cn



Find us on



产品参数如有变更，恕不另行通知。

Product parameters are subject to change without prior notice.

FORTEVER®

Focus on personalization and small-scale industrialization



FORTEVER®

我们更专注个性化和小型工业化
We are focused on personalization and small-scale industrialization

产品目录

CONTENTS

- 01/ 单头机系列
Single Head Machine Series
- 15/ 轻轨系列
C Type Machine Series
- 21/ 多头高速帽绣机系列
High Speed Multi Head Tubular Machine Series
- 25/ 特种机系列
Special Function Machine Series
- 33/ 多头高速平绣机
High Speed Multi Head Flat Machine Series
- 37/ 可选装置
Additional Special Device



Scan and watch the video



SPECIFICATION:

- * Emb area:240*360mm
- * Suitable for cap,flat and finished garments embroidery
- * Max working speed 1000RPM
- * 80V-260V adapted to all electricity environment
- * Auto color changing, auto thread trimming and self-lubrication system
- * Memory stitches:100.000.000,single pattern stitches at most 4.000.000
- * The machine body is made of aluminum alloy casting, which has higher strength
- * New structural design reduces noise and makes maintenance easier
- * Circular knife thread trimming,It is easier to adjust and replace the knife, The thread on the back side of the fabric is shorter
- * 17 languages:Chinese, English, Turkish,Spanish, Portuguese, Hindi, Russian, French, Italian, Arabic, Dutch, German, Vietnamese, Polish, Thai, Korean, Romanian
- * Plywood packing* The best choice for home use and mini studio



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
HALO-X	240×360mm	10	1	42kg/131kg	93×74×89cm (with stand)
				42kg/70kg	60×74×80cm (no stand)

HALO-X

◎ 标准配件 Standard accessories

- | | |
|--------------|--------------------------------|
| 1个36×24cm的绣框 | 1 × rectangular hoop 36 X 24cm |
| 1个24×24cm的绣框 | 1 × square hoop 24 X 24cm |
| 1个12cm的绣框 | 1 × round hoop 12cm |
| 1个20cm的绣框 | 1 × round hoop 20cm |



1 × rectangular hoop 36 X 24cm



1 × square hoop 24 X 24cm




1 × round hoop 12cm



1 × round hoop 20cm

- 工具箱
操作手册
绕线器
- Tool kit
Operation Manual
Bobbin winder



工具箱 Tool kit



绕线器 Bobbin winder

◎ 可选附件 Additional device

- | | | | |
|-----------|-----------------|------|--------------|
| 底架和轮子一体 | Stand | 袜框 | Socks frame |
| 台板 | Flat table | 鞋框 | Shoes frame |
| 帽座一套 | 1 × cap station | 口袋框 | Pocket frame |
| 帽圈两个 | 2 × cap ring | 磁力绣框 | Magnet frame |
| 270度帽驱动一套 | 1 × cap driver | | |



底架和轮子一体 Stand




台板 Flat table



帽座 Cap station



帽圈 Cap ring



帽驱动 Cap driver



袜框 Socks frame



鞋框 Shoes frame



口袋框 Pocket frame



磁力绣框 Magnet frame



Scan and watch the video



SPECIFICATION:

- * Emb area:240*320mm
- * Suitable for cap and finished garments embroidery
- * Max working speed 1000RPM
- * 80V-260V adapted to all electricity environment
- * Auto color changing,auto thread trimming and self-lubrication system
- * Memory stitches:100.000.000,single pattern stitches at most 4.000.000
- * Special structure supports bigger base space.Which make sure embroider on different kinds of finished products,e.g T-shirt,bag, pillow covers
- * Adjustable take up lever spring force adapted to various thread and fabric with nice stitches
- * 17 languages:Chinese,English,Turkish,Spanish,Portuguese,Hindi,Russian,French,Italian,Arabic,Dutch,German,Vietnamese,Polish,Thai,Korean,Romanian
- * Carton packing
- * The best choice for home use and mini studio



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
HALO-100	240×320mm	12	1	Machine box:39/55kgs.	75.5×56.5×74.5cm
				Stand Box:35/48kgs.	79×22×79cm
				Cap device box:7.5/8kgs.	50×32×27cm

HALO-100

◎ 配置绣框

Hoops included


- | | |
|--------------|--------------------------------|
| 1个32×24cm的绣框 | 1 x rectangular hoop 32 × 24cm |
| 1个24×24cm的绣框 | 1 x square hoop 24 × 24cm |
| 1个12cm的绣框 | 1 x round hoop 12cm |
| 1个15cm的绣框 | 1 x round hoop 15cm |
| 1个20cm的绣框 | 1 x round hoop 20cm |




1 x rectangular hoop 32 × 24cm



1 x square hoop 24 × 24cm



1 x round hoop 12cm



1 x round hoop 15cm



1 x round hoop 20cm



Scan and watch installation videos

◎ 帽绣附件

Cap device included

- 帽座一套
- 帽圈两个
- 270度帽驱动一套
- 1 x cap station
- 2 x cap ring
- 1 x cap driver



帽座 cap station



帽圈 cap ring



帽驱动 cap driver

◎ 其他附件

Accessories included

- 工具箱
- 操作手册
- 台板和带有轮子的支架
- 绕线器
- Tool kit
- Operation Manual
- Table and stand with wheels
- Bobbin winder



工具包 tool kit



脚轮 wheels




绕线器 bobbin winder

◎ 可选装置

Additional device



袜框 socks device



鞋绣 shoes device



口袋框 pocket frame



磁力绣框 magnet frame

FT-1201(300×350)

SPECIFICATION:

- * Emb area:300x350mm,7inch Touch panel
- * Suitable for cap and finished garments embroidery
- * Max speed 1200RPM
- * Auto color changing,auto thread trimming
- * 80V-260V adapted to all electricity environment,DC36 safe voltage output
- * Full screen pre-view design function supported
- * Devices could be matched(cording,sequins,beads)
- * 17 languages:Chinese,English,Turkish,Spanish, Portuguese,Russian,French,Arabic,Dutch,German, Vietnamese,Thai,Romanian,Italian,Polish,Hebrew, Czech
- * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1201(300×350)	300×350mm	12 (15 adopted)	1	85kgs./175kgs.	88×74×99cm

FT-1201(350×500)

SPECIFICATION:

- * Suitable for cap,flat and finished garments embroidery
- * 10inch touch panel,with photo embroidery function
- * Memory stitches: 20.000.000 or 200pcs pattern, single pattern stitches at most 2.000.000
- * Max speed 1200RPM
- * 80V-260V adapted to all electricity environment
- * Auto color changing,auto thread trimming
- * 17 languages:Chinese,English,Turkish,Spanish, Portuguese,Russian,French,Arabic,Dutch,German, Vietnamese,Thai,Romanian,Italian,Polish,Hebrew, Czech
- * Device could be matched(cording,sequins,beads)
- * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1201(350×500)	350×500mm	12 (15 adopted)	1	95kgs./195kgs.	83×113×89cm

FT-1201(400×600)Pro

SPECIFICATION:

- * Suitable for cap,flat and finished garments embroidery
- * 10inch touch panel,with photo embroidery function
- * Memory stitches: 20.000.000 or 200pcs pattern, single pattern stitches at most 2.000.000
- * Max speed 1200RPM
- * 80V-260V adapted to all electricity environment
- * Auto color changing,auto thread trimming
- * 17 languages:Chinese,English,Turkish,Spanish, Portuguese,Russian,French,Arabic,Dutch,German, Vietnamese,Thai,Romanian,Italian,Polish,Hebrew, Czech
- * Device could be matched(cording,sequins,beads)
- * Plywood packing



Scan and watch the video



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1201(400×600)Pro	400×600mm	12 (15 adopted)	1	117kgs./207kgs.	103×113×89cm

FT-1201(500×800)Pro

SPECIFICATION:

- * Suitable for cap,flat and finished garments embroidery
- * 10inch touch panel,with photo embroidery function
- * Memory stitches: 20.000.000 or 200pcs pattern, single pattern stitches at most 2.000.000
- * Max speed 1200RPM
- * 80V-260V adapted to all electricity environment
- * Auto color changing,auto thread trimming
- * 17 languages:Chinese,English,Turkish,Spanish, Portuguese,Russian,French,Arabic,Dutch,German, Vietnamese,Thai,Romanian,Italian,Polish,Hebrew, Czech
- * Device could be matched(cording,sequins,beads)
- * Plywood packing



Scan and watch the video



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1201(500×800)Pro	500×800mm	12 (15 adopted)	1	125kgs./265kgs.	120×113×89cm

FT-1201(500×1200) Pro

SPECIFICATION:

- * Suitable for cap, flat and finished garments embroidery
- * 10inch touch panel, with photo embroidery function
- * Memory stitches: 20.000.000 or 200pcs pattern, single pattern stitches at most 2.000.000
- * Max speed 1200RPM
- * 80V-260V adapted to all electricity environment
- * Auto color changing, auto thread trimming
- * 17 languages: Chinese, English, Turkish, Spanish, Portuguese, Russian, French, Arabic, Dutch, German, Vietnamese, Thai, Romanian, Italian, Polish, Hebrew, Czech
- * Device could be matched (cording, sequins, beads)
- * Plywood packing




型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1201(500×1200)Pro	500×1200mm	12 (15 adopted)	1	140kgs./280kgs.	146×113×89cm

FT-1201D(500×800)

SPECIFICATION:

- * Suitable for flat embroidery
- * 10inch touch panel, with photo embroidery function
- * Memory stitches: 20.000.000 or 200pcs pattern, single pattern stitches at most 2.000.000
- * Max speed 1200RPM
- * 80V-260V adapted to all electricity environment
- * Auto color changing, auto thread trimming
- * 17 languages: Chinese, English, Turkish, Spanish, Portuguese, Russian, French, Arabic, Dutch, German, Vietnamese, Thai, Romanian, Italian, Polish, Hebrew, Czech
- * Device could be matched (cording, sequins, beads)
- * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1201D(500×800)	500×800mm	12 (15 adopted)	1	125kgs./225kgs.	103×113×89cm

FT-1201D(500×1200)



Scan and watch the video

SPECIFICATION:

- * Suitable for flat embroidery
- * 10inch touch panel, with photo embroidery function
- * Memory stitches: 20,000,000 or 200pcs pattern, single pattern stitches at most 2,000,000
- * Max speed 1200RPM
- * 80V-260V adapted to all electricity environment
- * Auto color changing, auto thread trimming
- * 17 languages: Chinese, English, Turkish, Spanish, Portuguese, Russian, French, Arabic, Dutch, German, Vietnamese, Thai, Romanian, Italian, Polish, Hebrew, Czech
- * Device could be matched (cording, sequins, beads)
- * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1201D(500×1200)	500×1200mm	12 (15 adopted)	1	150kgs./265kgs.	146×113×89cm

FT-1201(600×1200)



Scan and watch the video

SPECIFICATION:

- * Suitable for flat embroidery
- * 10inch touch panel, with photo embroidery function
- * Memory stitches: 20,000,000 or 200pcs pattern, single pattern stitches at most 2,000,000
- * Max speed 1200RPM
- * 80V-260V adapted to all electricity environment
- * Auto color changing, auto thread trimming
- * 17 languages: Chinese, English, Turkish, Spanish, Portuguese, Russian, French, Arabic, Dutch, German, Vietnamese, Thai, Romanian, Italian, Polish, Hebrew, Czech
- * Device could be matched (cording, sequins, beads)
- * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1201(600×1200)	600×1200mm	12 (15 adopted)	1	160kgs./310kgs.	146×113×89cm

FT-1201(700×1200)



Scan and watch the video

SPECIFICATION:

- * Suitable for flat embroidery
- * 10inch touch panel, with photo embroidery function
- * Memory stitches: 20,000,000 or 200pcs pattern, single pattern stitches at most 2,000,000
- * Max speed 1000RPM
- * 80V-260V adapted to all electricity environment
- * Auto color changing, auto thread trimming
- * 17 languages: Chinese, English, Turkish, Spanish, Portuguese, Russian, French, Arabic, Dutch, German, Vietnamese, Thai, Romanian, Italian, Polish, Hebrew, Czech
- * Device could be matched (cording, sequins, beads)
- * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1201(700×1200)	700×1200mm	12 (15 adopted)	1	320kgs./420kgs.	220×113×89cm
FT-1201(700×1700)	700×1700mm	12 (15 adopted)	1	350kgs./485kgs.	245×113×89cm

FT-1201(300×350) / (350×500) / (400×600)Pro / (500×800)Pro / (500×1200)Pro / (600×1200)
FT-1201D(500×800) / (500×1200)

◎ 配置绣框

Hoops included

- | | |
|--------------------------|---|
| 1个铝框, FT-1201(300×350)除外 | 1 x aluminum frame, except FT-1201(300×350) |
| 1个椭圆绣框58×36cm | 1 x oval hoops 58×36cm |
| 2个30×30cm的绣框 | 2 x square hoops 30×30cm |
| 2个19cm的绣框 | 2 x round hoops 19cm |
| 2个15cm的绣框 | 2 x round hoops 15cm |
| 2个12cm的绣框 | 2 x round hoops 12cm |
| 2个9cm的绣框 | 2 x round hoops 9cm |



Aluminum frame
except FT-1201(300×350)



30×35cm only
for FT-1201(300×350)




58×36cm
except FT-1201(300×350)



30×30cm



19cm



15cm



12cm



9cm

◎ 帽绣附件

Cap device included

- 帽座一套
- 帽圈两个
- 270度帽驱动一套
- 1 x cap station
- 2 x cap rings
- 1 x cap driver



帽座 cap station



帽圈 cap ring



帽驱动 cap driver

◎ 其他附件

Accessories included

- 工具箱
- 操作手册
- 台板和带有轮子的支架
- 绕线器

- Tool kit
- Operation Manual
- Table and stand with wheels
- Bobbin winder



工具箱 tool kit



绕线器 bobbin winder

FT-1201HC(400×500)

SPECIFICATION:

- * Suitable for flat ,cap and finished garments embroidery
- * Max speed 1200RPM
- * Memory stitches: 20.000.000 or 200pcs patterns,single pattern stitches at most 2.000.000
- * 10inch touch panel,with photo embroidery function
- * 80V-260V adapted to all electricity environment
- * Auto color changing,auto thread trimming
- * 17 languages:Chinese,English,Turkish,Spanish, Portuguese,Russian,French,Arabic,Dutch,German, Vietnamese,Thai,Romanian,Italian,Polish,Hebrew, Czech
- * Device could be matched(cording,sequins,beads)
- * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1201HC	400×500mm	12 (15 adopted)	1	215kgs./ 330kgs.	103×113×89cm

FT-1202HC(400×500)

SPECIFICATION:

- * Suitable for flat ,cap and finished garments embroidery
- * Max speed 1200RPM
- * Memory stitches: 20.000.000 or 200pcs patterns,single pattern stitches at most 2.000.000
- * 10inch touch panel,with photo embroidery function
- * 80V-260V adapted to all electricity environment
- * Auto color changing,auto thread trimming
- * 17 languages:Chinese,English,Turkish,Spanish,Portuguese, Russian,French,Arabic,Dutch,German,Vietnamese,Thai, Romanian,Italian,Polish,Hebrew,Czech
- * Device could be matched(cording,sequins,beads)
- * Plywood packing



Scan and watch the video



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1202HC	400×500mm	12 (15 adopted)	2	350kgs./ 470kgs.	146×113×89cm

FT-1203HC(400×500)

SPECIFICATION:

- * Suitable for flat ,cap and finished garments embroidery
- * Max speed 1200RPM
- * Memory stitches: 20.000.000 or 200pcs patterns,single pattern stitches at most 2.000.000
- * 10inch touch panel ,with photo embroidery function
- * Auto color changing,auto thread trimming
- * 17 languages:Chinese,English,Turkish,Spanish, Portuguese,Russian,French,Arabic,Dutch,German, Vietnamese,Thai,Romanian,Italian,Polish,Hebrew, Czech
- * Device could be matched(cording,sequins,beads)
- * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1203HC	400×500mm	12 (15 adopted)	3	540kgs./ 760kgs.	195×113×130cm

FT-1204HC(400×450)

SPECIFICATION:

- * Suitable for flat ,cap and finished garments embroidery
- * Max speed 1200RPM
- * Memory stitches: 20.000.000 or 200pcs patterns,single pattern stitches at most 2.000.000
- * 10inch touch panel ,with photo embroidery function
- * Auto color changing,auto thread trimming
- * 17 languages:Chinese,English,Turkish,Spanish, Portuguese,Russian,French,Arabic,Dutch,German, Vietnamese,Thai,Romanian,Italian,Polish,Hebrew, Czech
- * Device could be matched(cording,sequins, beads)
- * Plywood packing



Scan and watch the video



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1204HC	400×450mm	12 (15 adopted)	4	800kgs./880kgs.	220×113×130cm

FT-905HC(200×500)



SPECIFICATION:

- * Suitable for flat embroidery
- * Max speed 1200RPM
- * Memory stitches:20.000.000 or 200pcs patterns, single pattern stitches at most 2.000.000
- * 10inch touch panel,with photo embroidery function
- * Auto color changing,auto thread trimming
- * 17 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian,French,Arabic,Dutch,German,Vietnamese,Thai,Romanian,Italian,Polish,Hebrew,Czech
- * Device could be matched(cording,sequins,beads)
- * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-905HC	200×500mm	9	5	540kgs./ 770kgs.	195×113×130cm


FT-1201HC/1202HC/1203HC/1204HC

◎ 配置绣框

Hoops included

- 1个铝框
- 1个椭圆绣框31×39cm / 40×40cm
- 2个30×30cm的绣框
- 2个19cm的绣框
- 2个15cm的绣框
- 2个12cm的绣框
- 2个9cm的绣框

- 1 x aluminum frame (size changed according to different machine)
- 1 x square hoop 31 × 39cm / 40 × 40cm per head
- 2 x square hoops 30 × 30cm per head
- 2 x round hoops 19cm per head
- 2 x round hoops 15cm per head
- 2 x round hoops 12cm per head
- 2 x round hoops 9cm per head



Aluminum frame



40x40cm per head for FT-1201HC/1202HC
31x39cm per head for FT-1203HC/1204HC



30x30cm




19cm



15cm



12cm



9cm

◎ 帽绣附件

Cap device included

- 帽座一套/台
- 帽圈两个/头
- 270度帽驱动一套/头
- 1 x cap station / set
- 2 x cap rings / head
- 1 x cap driver / head



帽座 cap station



帽圈 cap ring



帽驱动 cap driver

◎ 其他附件

Accessories included

- 工具箱
- 操作手册
- 台板和带有轮子的支架
- 绕线器

- Tool kit
- Operation Manual
- Table and stand with wheels
- Bobbins winder



工具包 tool kit



绕线器 bobbins winder

FT-1206H(400×450)



Scan and watch the video


SPECIFICATION:

- * Suitable for cap, flat and finished garments embroidery
- * Max speed 1200RPM
- * Memory stitches: 100.000.000, single pattern stitches at most 600.000
- * Auto color changing, auto thread trimming
- * 18 languages: Chinese, English, Turkish, Spanish, Portuguese, Russian, French, Arabic, Dutch, German, Vietnamese, Thai, Romanian, Italian, Polish, Hebrew, Czech, Ukrainian
- * Support presser foot movement control function
- * Devices could be matched (cording, sequins, beads)
- * Vacuum packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1206H	400×450mm	12 (15 adopted)	6	1050kgs./1300kgs.	350×90×150cm


FT-1208H(400×450)



Scan and watch the video

SPECIFICATION:

- * Suitable for cap, flat and finished garments embroidery
- * Max speed 1200RPM
- * Memory stitches: 100.000.000, single pattern stitches at most 600.000
- * Auto color changing, auto thread trimming
- * 18 languages: Chinese, English, Turkish, Spanish, Portuguese, Russian, French, Arabic, Dutch, German, Vietnamese, Thai, Romanian, Italian, Polish, Hebrew, Czech, Ukrainian
- * Support presser foot movement control function
- * Devices could be matched (cording, sequins, beads)
- * Vacuum packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1208H	400×450mm	12 (15 adopted)	8	1450kgs./1600kgs.	430×90×150cm

FT-1212H(400×450)



Scan and watch the video

SPECIFICATION:

- * Suitable for cap, flat and finished garments embroidery
- * Max speed 1200RPM
- * Memory stitches:100.000.000,single pattern stitches at most 600.000
- * Auto color changing,auto thread trimming
- * 18 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian, French,Arabic,Dutch,German,Vietnamese,Thai,Romanian,Italian, Polish,Hebrew,Czech,Ukrainian
- * Support presser foot movement control function
- * Devices could be matched(cording,sequins,beads)
- * Vacuum packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1212H	400×450mm	12 (15 adopted)	12	2400kgs./2500kgs.	655×90×150cm

FT-1206H/1208H/1212H

◎ 配置绣框

Hoops included

- | | |
|---------------|--|
| 1个铝框 | 1 x aluminum frame (size changed according to different machine) |
| 1个椭圆绣框31×39cm | 1 x square hoops 31x39cm per head |
| 2个30×30cm的绣框 | 2 x square hoops 30×30cm per head |
| 2个19cm的绣框 | 2 x round hoops 19cm per head |
| 2个15cm的绣框 | 2 x round hoops 15cm per head |
| 2个12cm的绣框 | 2 x round hoops 12cm per head |
| 2个9cm的绣框 | 2 x round hoops 9cm per head |



Aluminum frame



31x39cm



30x30cm



19cm



15cm



12cm



9cm

◎ 帽绣附件

Cap device included

- 帽座一套/台
- 帽圈两个/头
- 270度帽驱动一套/头
- 1 x cap station / set
- 2 x cap rings / head
- 1 x cap driver / head



帽座 cap station



帽圈 cap ring



帽驱动 cap driver

◎ 其他附件

Accessories included

- | | |
|------------|-----------------------------|
| 工具箱 | Tool kit |
| 操作手册 | Operation Manual |
| 台板和带有轮子的支架 | Table and stand with wheels |
| 绕线器 | Bobbins winder |



工具包 tool kit



绕线器 bobbins winder

FT-901 + 1PD(650×1200)



Scan and watch the video

SPECIFICATION:

- * Suitable for flat embroidery,coiling and taping embroidery
- * Memory stitches:20.000.000,single pattern stitches at most 2.000.000
- * Convenient power failure recovery embroidery function,prevent embroidery half-way off cause misalignment
- * Maximum speed 1000RPM
- * Auto color changing,auto thread trimming
- * LCD display showing real time stitching
- * Full screen pre-view design trace
- * Thread break detection and prevention
- * 17 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian, French,Arabic,Dutch,German,Vietnamese,Thai,Romanian,Italian,Polish, Hebrew,Czech
- * Devices could be matched
- * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-901+1PD	650×1200mm	9 (12 adopted)	1+1	500kgs./ 550kgs.	195×113×89cm


FT-1201 + 1CT(560×1200)



Scan and watch the video

SPECIFICATION:

- * Suitable for flat embroidery,chenille and chain stitch embroidery
- * Memory stitches:20.000.000,single pattern stitches at most 2.000.000
- * Convenient power failure recovery embroidery function,prevent embroidery half-way off cause misalignment
- * Flat embroidery max speed 1000RPM,chenille and chain stitch embroidery max speed 700RPM
- * Auto color changing,auto thread trimming
- * LCD display showing real time stitching
- * Full screen pre-view design trace
- * Thread break detection and prevention
- * 17 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian, French,Arabic,Dutch,German,Vietnamese,Thai,Romanian,Italian,Polish, Hebrew,Czech
- * Devices could be matched
- * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1201+1CT	560×1200mm	12 (9 adopted)	1+1	650kgs./ 800kgs.	195×113×130cm


FT-601CT(500×800)



Scan and watch the video

SPECIFICATION:

- * Suitable for chenille and chain stitch embroidery
- * Memory stitches:20.000.000,single pattern stitches at most 2.000.000
- * Convenient power failure recovery embroidery function,prevent embroidery half-way off cause misalignment
- * Maximum speed 700RPM
- * Auto color changing,auto thread trimming
- * LCD display showing real time stitching
- * Full screen pre-view design trace
- * Thread break detection and prevention
- * 17 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian,French,Arabic,Dutch,German,Vietnamese,Thai,Romanian,Italian,Polish,Hebrew,Czech
- * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-601CT	500×800mm	6	1	125kgs./ 265kgs.	120×113×89cm


FT-1202MC(500×500×850)

2 heads flat with multi color cording




SPECIFICATION:

- * Suitable for the carpet making ,traditional dresses decoration embroidery
- * Convenient power failure recovery embroidery function, prevent embroidery half-way off cause misalignment
- * Maximum speed 1000RPM(flat and cording)
- * Auto color changing,auto thread trimming
- * LCD display showing real time stitching
- * Full screen pre-view design trace
- * Thread break detection and prevention
- * Automatic external thread winding device
- * 17 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian,French,Arabic,Dutch,German,Vietnamese,Thai,Romanian,Italian,Polish,Hebrew,Czech



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1202MC	500×850mm	12	2	500kgs./700kgs.	230×165×160cm

FT-901 + 1LPD(800×1700)



SPECIFICATION:

- * Suitable for flat embroidery,coiling and taping embroidery
- * Memory stitches:20.000.000,single pattern stitches at most 2.000.000
- * Convenient power failure recovery embroidery function,prevent embroidery half-way off cause misalignment
- * Maximum speed 1000RPM
- * Auto color changing,auto thread trimming
- * LCD display showing real time stitching
- * Full screen pre-view design trace
- * Thread break detection and prevention
- * 17 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian,French,Arabic,Dutch,German,Vietnamese,Thai,Romanian,Italian,Polish,Hebrew,Czech
- * Devices could be matched



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-901+1LPD	800×1700mm	9	1+1	900kgs./1000kgs.	230×190×150cm


FT-902 + 2PD(600×850)



Scan and watch the video

SPECIFICATION:


- * Suitable for flat embroidery,coiling and taping embroidery
- * Memory stitches:20.000.000,single pattern stitches at most 2.000.000
- * Convenient power failure recovery embroidery function,prevent embroidery half-way off cause misalignment
- * Maximum speed 1000RPM
- * Auto color changing,auto thread trimming
- * LCD display showing real time stitching
- * Full screen pre-view design trace
- * Thread break detection and prevention
- * 17 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian,French,Arabic,Dutch,German,Vietnamese,Thai,Romanian,Italian,Polish,Hebrew,Czech
- * Devices could be matched



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-902+2PD	600×850mm	9	2+2	900kgs./1000kgs.	230×190×150cm
FT-902+2PD	950×1000mm	9	2+2	1200kgs./1300kgs.	250×200×130cm 375×40×15cm

FT-604 + 4LPD(750×750×1000)

Flat+Coiling&Taping



Scan and watch the video

SPECIFICATION:

- * Suitable for flat embroidery,coiling and taping embroidery
- * Convenient power failure recovery embroidery function,prevent embroidery half-way off cause misalignment
- * Maximum speed 1000RPM
- * Auto color changing,auto thread trimming
- * LCD display showing real time stitching
- * Full screen pre-view design trace
- * Thread break detection and prevention
- * Automatic external thread winding device
- * 8 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian,French,Arabic
- * Devices could be matched(sequins,beads,rhinestones)



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-604+4LPD	750X750X1000mm	6	4	2000kgs./2166kgs.	520×225×165cm

FT-1202F (500×500×850)


12 Needles 2 Heads Flat Embroidery Machine



Scan and watch the video

SPECIFICATION:

- * Compact structure,machine display size 2.3m(L)*2.2m(W)
- * High efficiency,max speed 1000RPM
- * Convenient power failure recovery function
- * Big LCD display showing realr time stitching
- * Full screen pre-view design trace capable
- * Auto color changing,auto thread trimming
- * Thread break detection and prevention
- * Device could be choosed:sequins, cording, beads,rhinestone
- * 17 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian,French,Arabic,Dutch,German,Vietnamese,Thai,Romanian,Italian,Polish,Hebrew,Czech



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1202F	500×850mm	12	2	500kgs./615kgs.	230×165×160cm

FT-910F (200×200×400)

9 Needles 10 Heads Flat Embroidery Machine



Scan and watch the video

SPECIFICATION:


- * The best machine for Logo making
- * Compact structure,machine display size 2.9m(L)*1.35m(W)
- * With overlap function,10 heads running,working area 200mm*400mm;
5 heads running,working area 400mm*400mm
- * High efficiency,max speed 1200RPM
- * More comfortable view,15inch big touch screen monitor
- * Convenient power failure recovery function
- * Full screen pre-view design trace capable
- * Auto color changing,auto thread trimming
- * Thread break detection and prevention
- * 17 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian,French,
Arabic,Dutch,German,Vietnamese,Thai,Romanian, Italian,Polish,Hebrew,Czech
- * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-910F	200×400mm (400×400mm,overlap)	9	10 (5,overlap)	835kgs./1035kgs.	290×115×130cm

FT-904F (500×500×800)

9 Needles 4 Heads Flat Embroidery Machine



SPECIFICATION:

- * Needles,heads,Embroidery Area could be done according to exact needs
- * Spider frame and magnetic frame could be match(additional)
- * 15inch LCD touch screen showing real time stitching
- * Full screen preview design trace capable
- * With thread clip system
- * With Automatic lubrication system
- * New gear type removable head,changed the traditional transmission
mode,Effectively reduce the thread broken rate
- * With closed loop motor color change,motor jumping,motor trimming
- * Thread break detection and prevention
- * Device could be chosen:sequins,cording,beads



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-904F	500×800mm	9	4	1250kgs./1400kgs.	330×230×160cm

FT-906F (500×500×800)

9 Needles 6 Heads Flat Embroidery Machine



Scan and watch the video

SPECIFICATION:

- * Needles,heads,Embroidery Area could be done according to exact needs
- * Spider frame and magnetic frame could be match(additional)
- * 15inch LCD touch screen showing real time stitching
- * Full screen preview design trace capable
- * With thread clip system
- * With Automatic lubrication system
- * New gear type removable head,changed the traditional transmission mode,Effectively reduce the thread broken rate
- * With closed loop motor color change,motor jumping,motor trimming
- * Thread break detection and prevention
- * Device could be chosen:sequins,cording,beads



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-906F	500×800mm	9	6	1629kgs./1746kgs.	430×230×160cm

FT-1210F(400×400×800)


12 Needles 10 Heads Flat Embroidery Machine



Scan and watch the video

SPECIFICATION:



- * Needles,heads,Embroidery Area could be done according to exact needs
- * Spider frame and magnetic frame could be match(additional)
- * 15inch LCD touch screen showing real time stitching
- * Full screen preview design trace capable
- * With thread clip system
- * With Automatic lubrication system
- * New gear type removable head,changed the traditional transmission mode,Effectively reduce the thread broken rate
- * With closed loop motor color change,motor jumping,motor trimming
- * Thread break detection and prevention
- * Device could be chosen:sequins,cording,beads



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1210F	400×800mm	12	10	2490kgs./2584kgs.	530×230×160cm

More device, more choice

◎ 八合一磁铁绣框 8 in 1 magnetic frame



◎ 口袋框 Pocket frame



◎ 鞋夹 Robot frame



Easy robot frame





◎ 单金片 Single sequin device



◎ 双金片 Double sequins device




◎ 多金片 Multi sequins device



◎ 简易绳绣 Easy cording device



◎ 晶石绣 Rhinestone device



◎ 袜绣 Sock device



◎ 珠子绣 Beads device



Loose beads



Rolling beads



◎ 红光定位装置 Red laser positioning device



◎ 简易激光装置 Easy laser cutting device



◎ 激光切割 Laser cutting device

